

| | $\frac{1}{2}$ pericula | $\frac{1}{2}$ numerus | $\frac{1}{2}$ portio | $\frac{1}{2}$ frumentū | | $\frac{1}{2}$ pericula | $\frac{1}{2}$ numerus | $\frac{1}{2}$ portio | $\frac{1}{2}$ frumentū | |
|-------------------------------|------------------------|-----------------------|----------------------|------------------------|---------------------------------|------------------------|-----------------------|----------------------|------------------------|-----------------------|
| tudines ista. | | | | | Brachium autē sic facies. | | | | | Juxta imam pubē |
| A sincipite ad summum col- | | | | | Ab humeris quae altitudo in- | | | | | mori |
| lum esto | ○ | 7 | ○ | ○ | gulorum est ponatur usq; ad | | | | | Per extrebas nate |
| Hinc vero sursum usq; ad sum- | | 6 | ○ | ○ | nexum cubiti | | | | | Pau loqz inferius |
| mam frontem | | 2 | ○ | ○ | Excu usq; in iuncturam ma- | 1 | 1 | 5 | ○ | Per sulcū feminis |
| A fronte summa ad supercilia | | 2 | ○ | ○ | nus | ○ | | | | Supra genu |
| A superciliis ad inum nasum | | 2 | ○ | ○ | Spacium palma obtinebit | ○ | 4 | 4 | ○ | Per medium genu |
| Hinc ad collum similiter | | 2 | ○ | ○ | Post has altitudinum no- | | | | | Infra genu |
| Atq; inde menū sursum | | | | | tationes describes et latitudi- | | | | | Per mediam sura |
| paululum circumducendum | | | | | nes. Ece erunt obliqui corporis | | | | | Per imam suram |
| erit. | | | | | tales. | | | | | Per imam tibian |
| A sincipite ad summas sca- | | 7 | 9 | ○ | Per frontem densum esto caput | ○ | 5 | 1 | 0 | Per montem pedis |
| pulas | | 1 | 0 | ○ | Per supercilia ponatur — | ○ | 6 | 3 | 0 | Infra talos simili- |
| Ad ingula | | 2 | 1 | ○ | Per ceruicem et nasum — | ○ | 5 | 5 | 0 | Sed calcis per ext |
| Aliugulis ad summum pectus | | 3 | 7 | ○ | Per labrum et ceruicem — | ○ | 5 | 2 | 0 | tos latitudo er |
| Infra alas | | 5 | 5 | ○ | Permentum et collum similiz | ○ | 5 | 2 | 0 | huiusmodi. |
| Ad papillas | | 7 | 0 | ○ | ter | | | | | Zum brachii ac |
| Infra mammas | | 1 | 1 | 2 | Sed ibidem collum obtinebit | ○ | 3 | 2 | 0 | His notationi |
| Ad lumbos vbi incingunt | | 1 | 5 | ○ | Per summas scapulas — | ○ | 3 | 3 | 0 | scribes figuram vi- |
| Hinc vero in umbilicum | | 6 | 0 | ○ | Per ingula — | ○ | 4 | 0 | brisq; corporis cō- | |
| Ad summum femur | | 7 | 0 | ○ | Per pectus — | ○ | 6 | 2 | 0 | ct aptis flexibus, t- |
| Ad imam alium | | 8 | 8 | ○ | Juxta alam — | ○ | 6 | 8 | 0 | stenduisse in extre- |
| Ad pubis initium vbi corpus | | 9 | 6 | ○ | Per papillas — | ○ | 7 | 0 | 0 | males. Sed si vol- |
| bifidum fit | | 9 | 2 | ○ | Infra mammas — | ○ | 6 | 6 | 0 | poris caput manus |
| Ad imam pubem | | 1 | 0 | 4 | Per lumbos vbi incingunt | ○ | 5 | 5 | 0 | tuere, produces ipsi- |
| Ad extrebas nates | | 2 | 3 | ○ | Per umbilicum — | ○ | 6 | 8 | 0 | linis linea. |
| Ab extremis natibus aliquāz | | 4 | 3 | ○ | Per sumnum femur — | ○ | 9 | 0 | Atq; ita prolo- | |
| to inferius | | 9 | 2 | ○ | Per imam alium — | ○ | 8 | 6 | rikeret densiusculi- | |
| Ad sulcum feminis | | 1 | 1 | 3 | Per pubis initium — | ○ | 8 | 0 | lum in obliquo ad | |
| Supra genu | | 2 | 0 | ○ | Perimam pubem — | ○ | 7 | 5 | pore facies, ita ve- | |
| Medium in genu | | 2 | 0 | ○ | Per femur iuxta extrebas na- | ○ | 6 | 5 | debere ostendere a | |
| E medio genu usq; infra illud | | 2 | 0 | ○ | tes | | | | emplis demonstra- | |
| Ad imam suram exterius | | 6 | 0 | ○ | Inferiusq; paulo — | ○ | 6 | 0 | | |
| Interius | | 7 | 2 | ○ | Per sulcum in femine — | ○ | 5 | 4 | | |
| Ad montem pedis | | 1 | 4 | 5 | Supra genu — | ○ | 4 | 0 | | |
| Hinc vero ad imam plantam | | 2 | 6 | ○ | Per medium genu — | ○ | 3 | 5 | | |
| A plantā sursum ad talum ex | | 1 | 8 | ○ | Infra genu — | ○ | 3 | 5 | | |
| terioriem | | 8 | 5 | ○ | Per mediam suram — | ○ | 3 | 9 | | |
| Longitudo calcis erit | | | | | Per imam suram exterius — | ○ | 3 | 6 | | |